



***PROPOSED TRAFFIC  
MANAGEMENT SCHEME***

***for***


***Sandyford 5K Run  
Sandyford Business District  
on Thursday 7th May  
2026***



***FREEFLOW  
TRAFFIC  
MANAGEMENT***



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic management Plan for Sandyford 5K run on 7th May 2026	Proposed Event Location	
			Sheet:	Drawn By: DM	Rev:
			CAD File ref.:	Date: February 2026	Scale: As Shown



**Proposed Event and Diversion Routes**

Scale: N.T.S.

**LEGEND**



- Sign Location
- Run Route
- Proposed Diversion Route
- Traffic Cones
- AGS
- TMO - Traffic Management Operative

Works TTM type:	Static Type A				
	Design Type A: >12h				
Design Parameters:	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	1in100
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-

- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Siochana to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	Proposed Event and Diversion Routes	01
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown



**LEGEND**

- Sign Location
- Run Route
- Proposed Diversion Route
- Traffic Cones
- AGS
- TMO - Traffic Management Operative


Works TTM type:	Static Type A				
	Design Type A: >12h				
	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
<b>Design Parameters:</b>					
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	Lane/lanes 10s/10s/40
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-

- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Siochana to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.

**TMP for Burton Hall road and Blackthorn road Junction**  
Scale: N.T.S.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	TMP for Burton Hall road and Blackthorn road Junction	02
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown



**Traffic Management Plan for Junction of Blackthorn Avenue and Blackthorn Road**

Scale: N.T.S.

**LEGEND**


- Sign Location
- Run Route
- Proposed Diversion Route
- Traffic Cones
- AGS
- TMO - Traffic Management Operative

Works TTM type:	Static Type A				
	Design Type A: >12h				
	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
<b>Design Parameters:</b>					
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	1in100m
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-

- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Siochana to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	TMP for Junction of Blackthorn Avenue and Blackthorn Road	03
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown



**Traffic Management Plan for Junction of Blackthorn Road and Corrigan Road.**

Scale: N.T.S.

**LEGEND**



- Sign Location
- Run Route
- Proposed Diversion Route
- Traffic Cones
- AGS
- TMO - Traffic Management Operative

Works TTM type:	Static Type A				
	Design Type A: >12h				
Design Parameters:	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	Lane/lanes 10s/10s/10s
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-

- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Siochana to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	TMP for Junction of Blackthorn Road and Corrigan Road	04
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown



**LEGEND**



- Sign Location
- Run Route
- Proposed Diversion Route
- Traffic Cones
- AGS
- TMO - Traffic Management Operative

Works TTM type:	Static Type A				
	Design Type A: >12h				
Design Parameters:	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	1in100m
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-







- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Siochana to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	TMP for Junction of Blackthorn Drive and Blackthorn Road	05
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown



**LEGEND**

-  Sign Location
-  Run Route
-  Proposed Diversion Route
-  Traffic Cones
-  AGS
-  TMO - Traffic Management Operative

<b>Works TTM type:</b>	Static Type A				
<b>Design Parameters:</b>	Design Type A: >12h				
	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	Lane-10m 10s-10m
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-



- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Síochána to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.

**Traffic Management Plan for Junction of Blackthorn Drive**

Scale: N.T.S.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	TMP for Junction of Blackthorn Drive	06
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown



**LEGEND**

- Sign Location
- Run Route
- Proposed Diversion Route
- Traffic Cones
- AGS
- TMO - Traffic Management Operative

Works TTM type:	Static Type A				
	Design Type A: >12h				
	LV-1 (I)	LV-1 (III)	LV-1 (IV)	LV-2 (I)	LV-2 (II)
<b>Design Parameters:</b>					
1. Minimum Sign Size mm	450	600	600	600	750
2. Statutory Speed of the Road	30km/h	50	60	80	100
3. Distance between Advance Signs	10m	20m	20m	120m	200m
4. Number of Advance Signs	1 (<12h) 2 (>12h)	2	3 (<12h) 2 (>12h)	3 (<12h) 4 (>12h)	3 (<12h) 4 (>12h)
5. Minimum Visibility of Signs	25m	50m	60m	90m	120m
6. Longitudinal Safety Zone	0.5m	5m	15m	45m	60m
7. Lateral Safety Zone	0.5m	0.5m	0.5m	1.2m	1.2m
8. Leading Taper	1in1m	1in5m	1in10m	1in40	1in100
9. Maximum at Tapers Cone Space	1m	3m	3m	3m	3m
10. Maximum Longitudinal Cone Space	3m	3m	6m	12m	12m
11. Lane Width (m)	2.5m	3 (2.5)	3 (2.5)	3 m	3 m
12. Two-way Roadway width (m)	5m	5m	5m	-	-

- Note:**
- All signs to comply with Chapter 8 of the "Traffic Signs Manual"-Guidance Document-2019.
  - All Traffic Management to be carried out in accordance with Chapter 8 of the "Traffic Signs Manual".
  - Detailed Risk Assessment to be carried out prior to the installation of Traffic Management System.
  - Exact sign positions to be agreed on site.
  - All affected Parties and An Garda Siochana to be notified prior to works commencing.
  - Signs to be positioned so as not to cause an obstruction to other road users.
  - All signs to be faced with retro-reflective material to class ref 2 of EN 12899.
  - "End of Roadworks" sign placed 20m to 50m from end of works area.
  - Road Closure points to be manned.

**Traffic Management Plan for Junction of Blackthorn Avenue and Upper Kilmacud Rd Extension**

Scale: N.T.S.



Rev:	Description:	Date:	Job Details:	Drawing:	Dwg no:
			Proposed Traffic Management Plan for Sandyford 5K run on 7th May 2026	TMP for Junction of Blackthorn Avenue and Upper Kilmacud Rd Extension	07
			Sheet:	Drawn By:	Rev:
			CAD File ref.:	DM	
				Date:	Scale:
				February 2026	As Shown